

# SmallRig



**Monitor Mounting Support with NATO Clamp**  
for DJI RS 2 / RSC 2 / RS 3 / RS 3 Pro / RS 3 Mini /  
RS 4 / RS 4 Pro / RS 4 Min / RS 5

Operating Instruction

SmallRig Monitor Mounting Support with NATO Clamp for DJI RS 2 / RSC 2 / RS 3 / RS 3 Pro / RS 3 Mini / RS 4 / RS 4 Pro / RS 4 Mini / RS 5 3026B is designed for DJI RS 2 / RSC 2 / RS 3 / RS 3 Pro / RS 3 Mini / RS 4 / RS 4 Pro / RS 4 Mini / RS 5 gimbals to mount extra accessories, such as monitor, LED video light, sound receiver, image transmitter, action camera, etc. It quickly secures either side of a gimbal via the NATO clamp, which comes with an anti-drop design for added safety, with a thumb knob tilting the monitor up to 170°. There are multiple accessory mounting points, including two 1/4"-20 holes on the top for Magic Arm 3238 for action camera or image transmitter, and a cold shoe mount on the top and the bottom for the sound receiver, microphone, LED video light, etc. Another highlight is the anti-twist pin that helps further stabilize the monitor. Overall, 3026B, which supports 5" and 7" monitors, is compact and matches DJI RS series gimbals perfectly in terms of design style and accessory attachment.

## **Safety Guidelines**

### **1. Environment**

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

### **2. Load Capacity**

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

### **3. Cleaning & Maintenance**

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

### **4. Structural Integrity**

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

### **5. Malfunctions**

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

## **In the Box**

Monitor Mount	× 1	Guarantee Card	× 1
Allen Wrench	× 1		


# Wide Compatibility

- For DJI RS 2
- For DJI RSC 2
- For DJI RS 3
- For DJI RS 3 Pro
- For DJI RS 3 mini
- For DJI RS 4
- For DJI RS 4 Pro
- For DJI RS 4 Mini
- For DJI RS 5



# Angle Adjustable

The camera monitor mount can be tilt-adjustable and can be stopped at any angle via a thumbscrew.



**Note:** the maximum tilt angle is 170°

# Product Detail Display

Plentiful mounting options for attaching a monitor, action camera and sound receiver, etc



# Quick-release and Safe Installation

Feature NATO clamp for Quick-release and an anti-drop design to protect your device from falling



Anti Drop Design

# Designed to support 5" and 7" camera monitor

It designed to support 5" and 7" camera monitors and build in locating pins on the top to further secure your monitor




**Note:** the max payload is 1.5kg

# Package List

Monitor Mount × 1

Allen Wrench × 1



## Specifications

ID  
3026B

Product Dimensions  
152.6 × 54.8 × 38.0mm

Package Dimensions  
186.0 × 56.5 × 57.0mm

Product Weight  
125±5g / 0.28±0.01 lb

Package Weight  
167.3 ± 5g

Material(s)  
Aluminum Alloy, Stainless Steel, Brass, Silicone

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfiji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfiji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

**RoHS** **CE** 



Made in China